

Floor Covering Media

Your Gateway to the Floor Covering Industry


Advances made in wireless charging



Yes. It is true. The capacity of ORNL's new wireless charger is a significant increase on the group's original 20-kW model.

Researchers at the Department of Energy's Oak Ridge National Laboratory have demonstrated a 120-kW wireless charging system for vehicles – providing six times the power of previous ORNL technology and a big step toward charging times that rival the speed and convenience of a gas station fill-up. The wireless system transfers 120 kW of power with 97% efficiency, which is comparable to conventional, wired high-power fast chargers. In the laboratory demonstration, power was transferred across a six-inch air gap between two magnetic coils and charged a battery pack.

ORNL researchers created and demonstrated the world's first 20-kW wireless charging system, which is being modified for applications such as commercial delivery trucks. *"It was important to maintain the same or smaller footprint as the previous demonstration to encourage commercial adoption,"* according to project lead Veda Galigekere of ORNL's Power Electronics and Electric Machinery Group; who added that *"we used finite element and circuit analyses to develop a novel co-optimisation methodology, solving the issues of coil design while ensuring the system doesn't heat up or pose any safety issues, and that any loss of power during the transfer is minimal."* To achieve 120 kW, the ORNL team created a new coil design co-optimised with the latest silicon carbide power electronic devices for a lightweight, compact system.




The system's architecture takes energy from the grid and converts it to high-frequency alternating current, which generates a magnetic field that transfers power across a large air gap. Once the energy is transferred to the


Floor Covering Media

Your Gateway to the Floor Covering Industry

secondary coil, it is converted back to direct current and stored in a vehicle's batteries.



The demonstration advances the DOE's extreme fast-charging goal to develop a system that delivers 350-400 kW and reduces the charging time for electric vehicles to 15 minutes or less. *"This breakthrough significantly advances the technology needed to encourage greater adoption of electric vehicles by increasing their range and the ease of recharging, and in turn supports an energy-efficient mobility system for the nation's economic success,"* so said Moe Khaleel, the associate laboratory director for energy and environmental sciences at ORNL.



ORNL researchers will explore innovations to increase power transfer level to 200 kW and eventually 350 kW, while refining dynamic wireless charging technology. A dynamic system enables the automatic charging of electric vehicles using wireless charging pads installed under roadways. Higher power charging systems are needed to minimise the cost and complexity of dynamic charging. "The goal is dynamic charging at highway speeds," Galigekere said.

Floor Covering Media

Your Gateway to the Floor Covering Industry



Source:

[Electrans](#)

Floor Covering Media publishes
press releases called Flooring Updates.



Floor Covering Media is
a social media network.

Floor Covering Media

Your Gateway to the Floor Covering Industry

Floor Search

Answers to Questions About Flooring

Retrieve timely, objective news and
information at <https://www.floorsearch.info>.